



Cel mai mic multiplu comun (c.m.m.m.c.)

Clasa a VI-a • Alege o singură variantă de răspuns la fiecare exercițiu.

Nume: Clasa: Data:

1. c.m.m.m.c.(6, 8) =

- a) 8 b) 48 c) 24 d) 12

2. c.m.m.m.c.(4, 10) =

- a) 60 b) 40 c) 10 d) 20

3. c.m.m.m.c.(6, 9) =

- a) 18 b) 9 c) 3 d) 36

4. c.m.m.m.c.(8, 12) =

- a) 24 b) 72 c) 20 d) 4

5. c.m.m.m.c.(10, 15) =

- a) 60 b) 90 c) 30 d) 5

6. c.m.m.m.c.(12, 18) =

- a) 216 b) 6 c) 72 d) 36

7. c.m.m.m.c.(14, 21) =

- a) 294 b) 7 c) 84 d) 42

8. c.m.m.m.c.(15, 20) =

- a) 60 b) 30 c) 180 d) 120

9. c.m.m.m.c.(16, 24) =

- a) 96 b) 8 c) 40 d) 48

10. c.m.m.m.c.(18, 24) =

- a) 6 b) 72 c) 144 d) 24



Cel mai mic multiplu comun (c.m.m.m.c.)

Clasa a VI-a • Alege o singură variantă de răspuns la fiecare exercițiu.

Nume: Clasa: Data:

11. c.m.m.m.c.(20, 30) =

- a) 60 b) 120 c) 600 d) 180

12. c.m.m.m.c.(21, 28) =

- a) 84 b) 168 c) 252 d) 49

13. c.m.m.m.c.(24, 36) =

- a) 72 b) 216 c) 144 d) 12

14. c.m.m.m.c.(25, 30) =

- a) 75 b) 55 c) 5 d) 150

15. c.m.m.m.c.(27, 36) =

- a) 108 b) 54 c) 36 d) 972

16. c.m.m.m.c.(28, 42) =

- a) 42 b) 168 c) 84 d) 1176

17. c.m.m.m.c.(30, 45) =

- a) 15 b) 90 c) 270 d) 45

18. c.m.m.m.c.(32, 48) =

- a) 16 b) 96 c) 192 d) 288

19. c.m.m.m.c.(36, 54) =

- a) 18 b) 108 c) 1944 d) 90

20. c.m.m.m.c.(40, 60) =

- a) 60 b) 240 c) 360 d) 120



Cel mai mic multiplu comun (c.m.m.m.c.)

Clasa a VI-a • Alege o singură variantă de răspuns la fiecare exercițiu.

Nume: Clasa: Data:

21. c.m.m.m.c.(8, 15) =

- a) 360 b) 120 c) 240 d) 1

22. c.m.m.m.c.(9, 14) =

- a) 126 b) 1 c) 14 d) 378

23. c.m.m.m.c.(12, 35) =

- a) 840 b) 47 c) 210 d) 420

24. c.m.m.m.c.(45, 60) =

- a) 60 b) 360 c) 180 d) 540

25. c.m.m.m.c.(48, 72) =

- a) 288 b) 144 c) 120 d) 432

26. c.m.m.m.c.(50, 75) =

- a) 75 b) 3750 c) 150 d) 25

27. c.m.m.m.c.(54, 81) =

- a) 135 b) 162 c) 486 d) 4374

28. c.m.m.m.c.(60, 90) =

- a) 360 b) 90 c) 5400 d) 180

29. c.m.m.m.c.(72, 108) =

- a) 216 b) 180 c) 36 d) 108

30. c.m.m.m.c.(84, 126) =

- a) 210 b) 126 c) 756 d) 252